

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Previously presented) A photo-catalyst containing titanium fluoride nitride comprising, $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$ or a compound represented by $\text{MeTi(IV)O}_a\text{N}_b\text{F}_c$ prepared by doping at least one metal Me selected from the group consisting of alkali or alkaline earth metals on $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$, wherein, b is 0.1 to 1, c is 0.1 to 1 and a is a value to maintain Ti(IV) and is decided in relation to b and c.

2. (Original) The photo-catalyst containing titanium fluoride nitride of claim 1 to which at least one promoter selected from the group consisting of Pt, Ni and Pd is loaded.

3. (Original) The photo-catalyst containing titanium fluoride nitride of claim 1, wherein $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$ possesses anatase structure and $\text{MeTi(IV)O}_a\text{N}_b\text{F}_c$ possesses perovskite to anatase structure.

4. (Original) The photo-catalyst containing titanium fluoride nitride of claim 3 to which at least one promoter selected from the group consisting of Pt, Ni and Pd is loaded.

5. (Previously presented) A photo-catalyst for water splitting containing titanium fluoride nitride comprising, $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$ or a compound represented by $\text{MeTi(IV)O}_a\text{N}_b\text{F}_c$ prepared by doping at least one metal Me selected from the group consisting of alkali or alkaline earth metals on $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$, wherein, b is 0.1 to 1, c is 0.1 to 1 and a is a value to maintain Ti(IV) and is decided in relation with b and c.

6. (Original) The photo-catalyst for water splitting containing titanium fluoride nitride of claim 5 to which at least one promoter selected from the group consisting of Pt, Ni, Ru and Pd is loaded.

7. (Previously presented) The photo-catalyst for water splitting containing titanium fluoride nitride of claim 5, wherein $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$ possesses anatase structure and $\text{MeTi(IV)O}_a\text{N}_b\text{F}_c$ possesses perovskite to anatase structure.

8. (Original) The photo-catalyst for water splitting containing titanium fluoride nitride of claim 7 to which at least one promoter selected from the group consisting of Pt, Ni and Pd is loaded.

9. (Currently amended) A method for preparation of a photo-catalyst represented by $\text{Ti(IV)O}_a\text{N}_b\text{F}_c$, wherein a, b and c are same

as to claim 1 by baking titanium di-ammonium fluoride halide represented by $(\text{HH}_4)_2\text{TiF}_d\text{X}_{6-d}$, wherein, d is ~~integer of~~ 1-6, which contains at least F and ammonium halide by the ratio of equimolar or by the ratio of slightly excess of ammonium halide at the maximum temperature from 200 to 500 so as to form a starting material, then said starting material is nitrogenated by thermal synthesis in ammonia atmosphere containing from 0.02% to 10.00% of oxygen, air or water to ammonia by reduced mass to oxygen atom at the maximum temperature from 350 to 700 for over than 5 hours.

10. (Currently amended) A method for preparation of a photocatalyst represented by $\text{SrTi(IV)O}_a\text{Nb}_b\text{F}_c$, wherein, a, b and c are same as to claim 1, by baking titanium di-ammonium fluoride halide represented by $\text{TiF}_x\text{X}_{6-x}$ and/or $(\text{HH}_4)_2\text{TiF}_d\text{X}_{6-d}$, wherein x and d are ~~integer of~~ 1-6, which contains at least F and at least one compound selected from the group consisting of SrO , SrOH and SrX so as to form a starting material or SrTiF_6 , then said starting material or SrTiF_6 is nitrogenated by thermal synthesis in ammonia atmosphere containing from 0.02% to 10.00% of oxygen, air or water to ammonia by reduced mass to oxygen atom at the maximum temperature from 350 to 700 for over than 5 hours.